

UNIQUE ENGINEERING TECHNICAL SERVICES LLC

+968-97970236

info@unitecoman.com

www.unitecoman.com

Bosher, Al Misfah, Muscat,
Sultanate of Oman

PO. BOX : 3332

PC : 130



الهندسة الفريدة للخدمات الفنية ش.م.م

info@unitecoman.com

+968-22499101

بوشير، المسفا، مسقط
سلطنة عمان

www.unitecoman.com

رمز بريدي: ١٣٠

صندوق البريد: ٣٣٣٢

شهادة فنية

TECHNICAL CERTIFICATE

Certificate Number :UNITEC-TC-23-012		Test Date: 22-01-2023
Customer Name:	M/s. TRUCK OMAN NORTH LLC	اسم العميل:
Manufacture Name:	GORICA INDUSTRIES	اسم المصنع:
Project:	Inspection & Recertification	المشروع:
Type of vehicle	Chassis Mounted Vacuum Tanker	طراز السيارة:
Vehicle registration no:	7541 YM	رقم تسجيل المركبة:
Chassis No.	GICV130005	رقم الشاصي:
Year of Manufacture:	2013	سنة الصنع:
Tanker Capacity	4000 IG	سعة النقل:
Material transported	CRUDE OIL	المواد المنقولة:
Color of the vehicle:	White with Red Strip	لون المركبة:
Type of Label & Hazard Signs fitted on Tank	Available & founds satisfactory	لون الملصقات وعلامات المواد الخطرة على الخزان:
The Tank, tanker connections & installation of the above vehicle have been investigated by our company.	الهندسة الفريدة للخدمات الفنية	تم فحص الخزان وجميع التوصيلات للمركبة المذكورة أعلاه من قبل شركتنا
# External inspection with all required fitting is found ok. # The above specified vehicles is found satisfactory in respect to manufactures specification & is hereby Authorized to transport the above-mentioned Material for 12 months. Inspection Date : 22-01-2023 Next Due Date : 21-01-2024		
تم فحص الخزان المذكور اعلاه من قبل شركتنا وقد تبين إنها مطابقة لمواصفات الشركة المصنعة وصالحة للاستخدام في نقل المواد المذكورة وذلك لمدة 12 أشهر. تاريخ الفحص 22-01-2023 تاريخ الفحص القادم 21-01-2024		
Inspected By:		امضاء المدير المسئول:
Rubber Stamp of Company:		ختم الشركة

UNIQUE ENGINEERING TECHNICAL SERVICES LLC

+968-97970236

info@unitecoman.com

www.unitecoman.com

Bosher, Al Misfeh, Muscat,
Sultanate of Oman

PO. BOX : 3332

PC : 130



الهندسة الفريدة للخدمات الفنية ش.م.م

info@unitecoman.com

+968-97970236

بوشر، المصفاة، مسقط
سلطنة عمان

www.unitecoman.com

رمز بريدي : ١٣٠٠

صندوق البريد : ٣٣٣٢

HYDROTESTATIC / PNEUMATIC TEST REPORT

Certificate No. UNITEC/HT/23/009	Test Date: 22-01-2023
Customer Name:	M/s. TRUCK OMAN NORTH LLC
Project:	Inspection & Certification
Vehicle No.	7541 YM
Chassis No.	GICV130005
Type of Vehicle	Chassis mounted Vacuum tanker
Manufacturer Name:	GORICA INDUSTRIES
Design Pressure:	1.5 Bar.
Test Pressure:	1.95 Bar
Operating Pressure	7 PSI
Pressurized Medium	Air
Year of Manufacture:	2013
Tanker capacity:	4000 IG
Material transported:	CRUDE OIL
Color of the vehicle:	WHITE WITH RED STRIP
Next inspection due date:	21-01-2024
Code of practice:	ASME Sec VIII Div. I
Remarks: Pressure test and visual inspection are found satisfactory. No leakage detection	
Test Performed by:	Test Approved by:
Name: <i>Dopbus</i>	Name: <i>[Signature]</i>
Sign: <i>22/1/23</i>	Sign: <i>[Signature]</i>

UNIQUE ENGINEERING TECHNICAL SERVICES LLC

+968-97970236

info@unitecoman.com

www.unitecoman.com

Bosher, Al Misfah, Muscat,
Sultanate of Oman

PO. BOX : 3332

PC : 130



المهندسة الفريدة للخدمات الفنية ش.م.م

info@unitecoman.com

+968-97970236

بوشير، المسفاه، مسقط

www.unitecoman.com

رمز بريدي : ١٣٠

صندوق البريد : ٣٣٣٢

CALIBRATION CERTIFICATE OF PRESSURE RELIEF VALVE

Certificate no: UNITEC/PRV/23/030	Date of Examination: 22/01/2023	
Client Name:	TRUCKOMAN NORTH LLC	
Client address:	Muscat, Oman	
Vehicle no.:	7541 YM	
Unit under Calibration:	Pressure relief valve (PRV)	
Manufacture	MZ	
Model No:	NA	
Set Pressure:	7 PSI	
Ref. Procedure	BS EN ISO 4126-1:2013+ A1:2016	
Test Temperature. & R.H.	24° C	
TAG No.	UNITEC/PRV/23/30	
Test Location: Unique Engineering Technical Services LLC, Al Misfah, Bosher, Muscat,		
Equipment	Identification no.	Calibration certificate no:
Digital Hand pressure pump CPP500	Sr. No 1734CD4	WL/2021-2735-01
Calibration Date: 22/01/2023		Next Due: 21/01/2023
# Test Results: Pressure Relief Valve set 7 psi. Valve checked and found to be operating within ± 0.2 PSI of traceable to national/ international standards(s).		
Comments: 01 Valve adjusted to the set pressure. 02 Medium of testing: Air 03 The reading obtained refer to the applied values only with no account being of the instrument ability to maintain its calibration.		
I hereby declare that the above information is correct and that the equipment has been tested and examined in according to provisions & standard.		
Calibrated By:	Approved By:	
Name: <i>Rajon</i>	Name:	
Date: <i>22-1-23</i>	Date:	

The calibration Certificate shall not be reproduced except in full without written approval of the UNITEC Engineering.

UNIQUE ENGINEERING TECHNICAL SERVICES LLC

+968-97970235

info@unitecoman.com

www.unitecoman.com

Bosher, Al Misfah, Muscat,
Sultanate of Oman

PO. BOX : 3332

PC : 130



الهندسة الفريدة للخدمات الفنية ش.م.م

info@unitecoman.com

+968-97970235

بوشر، المسفاه، مسقط
سلطنة عمان

www.unitecoman.com

رمز بريدي : ١٣٠

صندوق البريد : ٣٣٣٢

CALIBRATION CERTIFICATE OF PRESSURE RELIEF VALVE

Certificate no: UNITEC/PRV/23/031	Date of Examination: 22/01/2023	
Client Name:	TRUCKOMAN NORTH LLC	
Client address:	Muscat, Oman	
Vehicle no.:	7541 YM	
Unit under Calibration:	Pressure relief valve (PRV)	
Manufacture	MZ	
Model No:	NA	
Set Pressure:	7 PSI	
Ref. Procedure	BS EN ISO 4126-1:2013+ A1:2016	
Test Temperature, & R.H.	24° C	
TAG No.	UNITEC/PRV/23/31	
Test Location: Unique Engineering Technical Services LLC, Al Misfah, Bosher, Muscat,		
Equipment	Identification no.	Calibration certificate no:
Digital Hand pressure pump CPP500	Sr. No 1734CD4	WL/2021-2735-01
Calibration Date: 22/01/2023		Next Due: 21/01/2023
# Test Results: Pressure Relief Valve set 7 psi. Valve checked and found to be operating within ± 0.2 PSI of traceable to national/ international standards(s).		
Comments: 01 Valve adjusted to the set pressure. 02 Medium of testing: Air 03 The reading obtained refer to the applied values only with no account being of the Instrument ability to maintain its calibration.		
I hereby declare that the above information is correct and that the equipment has been tested and examined in according to provisions & standard.		
Calibrated By:	Approved By:	
Name: <i>Rajan</i>	Name:	
Date: <i>22-1-23</i>	Date:	

The calibration Certificate shall not be reproduced except in full without written approval of the UNITEC Engineering.

UNIQUE ENGINEERING TECHNICAL SERVICES LLC

+968-97970236

info@unitecoman.com

www.unitecoman.com

Bosher, Al Misfah, Muscat,
Sultanate of Oman

P.O. BOX : 3332

PC : 130



المهندسة الفريدة للخدمات الفنية ش.م.هـ

info@unitecoman.com

+968-22599101

بوشر، المسفاه، مسقط
سلطنة عمان

www.unitecoman.com

رمز بريدي : ١٣٠

صندوق البريد : ٣٣٣٢

CALIBRATION CERTIFICATE OF VACUUM RELIEF VALVE

Certificate no: UNITEC/VRV/23/15	Date of Examination: 22/01/2023	
Client Name:	TRUCKOMAN NORTH LLC	
Client address:	Muscat, Oman	
Vehicle no.	7541 YM	
Unit under Calibration:	Vacuum relief valve (VRV)	
Manufacture.	NA	
Set Pressure:	-7 PSI	
Ref. Procedure	Based on BS EN ISO 4126-1:2004	
Test Temperature. & R.H.	24° C and 50 ± 15 % RH	
Tag no:	UNITEC/VRV/23/15	
Test Location: Unique Engineering Technical Services LLC, Al Misfah, Bosher, Muscat,		
Equipment	Identification no.	Calibration certificate no:
Digital Hand pressure pump CPP500	Sr. No 1734CD4	WL/2022-2735-01
Calibration Date: 22/01/2023		Next Due: 21/01/2024
Test Results: Vacuum Relief Valve set to -7 PSI. Valve checked and found to be operating within ± 2 PSI of traceable to national/ international standards(s). The above reported results are valid during the calibration.		
Comments: 01 Valve adjusted to the required pressure rating. 02 Test Medium: Air 03 The reading obtained refer to the applied values only with no account being of the instrument ability to maintain its calibration.		
I hereby declare that the above information is correct and that the equipment has been tested and examined in according to provisions & standard.		
Calibrated By:	Approved By:	
Name: <i>[Signature]</i>	Name: <i>[Signature]</i>	
Date: 22-1-23	Date: <i>[Signature]</i>	

The calibration Certificate shall not be reproduced except in full without written approval of the Unique Engineering



UNIQUE ENGINEERING TECHNICAL SERVICES LLC

+968-97970235

info@unitecoman.com

www.unitecoman.com

Bosher, Al Misfah, Muscat,
Sultanate of Oman

PO. BOX : 3332

PC : 130



الهندسة الفريدة للخدمات الفنية ش.م.م

info@unitecoman.com

+968-97970235

بوشير، المسفح، مسقط
سلطنة عمان

www.unitecoman.com

رمز بريدي : ١٣٠

صندوق البريد : ٣٣٣٢

COMPOUND GAUGE CALIBRATION CERTIFICATE

Certificate no: UNITEC/CG/23/07

Date of Examination: 21/01/2023

Client Name: TRUCKOMAN NORTH LLC

Client address: Muscat, Oman

Vehicle No.: 7541 YM

Unit under Calibration: Compound gauge (-1 to 3 BAR).

Manufacturer: METALTECNICA

Model No: NA

Tag No: UNITEC/CG/23/07

Ref. Procedure: BS EN 837-1:1998

Test Temperature. & R.H. 24° C & 50 ±15 % R-H

Test Location: Unique Engineering Technical Services LLC, Al Misfah, Bosher, Muscat,

Equipment Identification no. Calibration certificate no:

Digital Hand pressure pump CPP500 Sr. No 1734CD4 WL/2022-2735-01

Calibration Date: 22/01/2023

Next Due: 21/01/2024

Test Results: The test results are given below and confirming the required accuracy as per test points.

Pressure units in BAR

UUC Reading	Standard Reading	Error Deviation	Acceptable Error
-0.89	-1	-0.11	±1% FSD
0	0	0	
0.95	1	0.05	
1.92	2	0.08	
2.93	3	0.07	

Inspected By:

Name: Rafan

Date: 22-1-23

Approved By:

Name:

Date:

The calibration Certificate shall not be reproduced except in full without written approval of the UNITEC Engineering.

UNIQUE ENGINEERING TECHNICAL SERVICES LLC

+968-97970236

info@unitecoman.com

www.unitecoman.com

Bosher, Al Misfah, Muscat,
Sultanate of Oman

PO. BOX : 3332

PC : 130



الهندسة الفريدة للخدمات الفنية ش.م.م

info@unitecoman.com

+968-22599101

بوشر، المسفاة، مسقط

www.unitecoman.com

رمز بريدي : ١٣٠

صندوق البريد : ٣٣٣٢

HOSE CONDUCTIVITY TEST CERTIFICATE

REPORT No.: UNITEC/HT/23/002	Insp. Date: 22-01-2023	Due Date: 21-01-2024
Customer Name: TRUCK OMAN NORTH LLC		
Tanker No: 7541 YM	Tanker Capacity: 4000 IG	Material transported: CRUDE OIL.

Hose conductivity tested with clamp meter no. 7041380 JETECH TOOL

Description of the item		
Hose Size	Serial/Tag No.	Resistance actual in Ohm (Max 10 Ω)
3"ALFAPLEX- ITALY OIL DISCHARGE HOSE	UNITEC/HT/23/003	0.9 Ω
Results: # Conductive hose and fittings found OK. # Above reported results found satisfactory during the inspection time. # Hose conductivity Resistance observed as per standard requirements.		
Date of Inspection: 22-01-2023		Next due date: 21-01-2024

I hereby declare that the above information is correct and that the hoses has been tested and examined in according to provisions & standard.

Inspected By:		Approved By:
Sign: Rayan		Sign:
Date: 22-1-23		Date:

Company stamp.



UNIQUE ENGINEERING TECHNICAL SERVICES LLC

+968-97970235

info@unitecoman.com

www.unitecoman.com

Bosher, Al Misfah, Muscat,
Sultanate of Oman

PO. BOX : 3332

PC : 130



الهندسة الفريدة للخدمات الفنية ش.م.ح

info@unitecoman.com

+968-22099101

بوشر، المسفاة، مسقط
سلطنة عمان

www.unitecoman.com

رمز بريدي : ١٣٠

صندوق البريد : ٣٣٣٢

HYDROTEST CERTIFICATE OF HOSES

REPORT No.: UNITEC/HT/23/002	Insp. Date: 22-01-2023	Due Date: 21-01-2024
Customer Name: TRUCK OMAN NORTH LLC		
Tanker No: 7541 YM	Tanker Capacity: 4000 IG	Material transported: CRUDE OIL.

This Certify that pressure testing of following hoses has tested as per UNITEC leak Testing procedure.

The Reading Mentioned as below:

Test Pressure:	WP-10 Bar
Hose Length:	9 M (Min. Standard Length required 5 m)
Test Medium:	Water
Holding Time:	15 min
Test Observation:	Found OK
Visual Inspection:	Heavy duty clamp tight & no leakage founds

Description of the item:

Description	Qty	Serial No.	Results
3" ALFAFLEX- ITALY OIL DISCHARGE HOSE	1	UNITEC/HT/23/003	Satisfactory

I hereby declare that the above information is correct and that the items has been tested and examined in according to provisions & standard.

Inspected By:		Approved By:
Sign: <i>Royan</i>		Sign:
Date: 22-1-23		Date:

Company stamp.



Note: Kindly report to the UniTec team after any kind of modification or changing in the system

