



شهادة فنية
TECHNICAL CERTIFICATE

Certificate Number :UNITEC-TC-26-008		Test Date: 12-01-2026
Customer Name:	TRUCKOMAN NORTH LLC	اسم العميل:
Manufacture Name:	GORICA INDUSTRIES	اسم المصنع:
Project:	Inspection & Recertification	المشروع:
Type of vehicle	Chassis mounted Vacuum tanker	طراز السيارة:
Vehicle registration no:	8896 ML, TER 2435	رقم تسجيل المركبة:
Chassis No.	GICV130002	رقم الشاسي:
Year of Manufacture:	2013	سنة الصنع:
Tanker Capacity	6000 IG	سعة النقل:
Material transported	CRUDE OIL tanker	المواد المنقولة:
Color of the vehicle:	WHITE & RED Strip	لون المركبة:
Type of Label & Hazard Signs fitted on Tank	U.N. No. 1267, 3 YE (3 Nos. STICKERS) Available & founds satisfactory	لون الملصقات وعلامات المواد الخطيرة على الخزان:
Type and capacity of fire the Extinguishers	DCP, 9 Kg x 2 Nos.	نوع وسعة طفليات الحريق
The Tank, tanker connections & installation of the above vehicle have been investigated by our company.	المهندسة الفريدة للخدمات الفنية	تم فحص الخزان وجميع التوصيلات للمركبة المذكورة أعلاه من قبل شركتنا

External inspection with all required fitting is found ok.

The above specified vehicle is found satisfactory in respect to manufactures specification & is hereby authorized to transport the above-mentioned Material for 12 months.

Inspection Date: 12-01-2026

Next Due Date: 11-01-2027

تم العثور على الفحص الخارجي مع جميع الترکيبات المطلوبة على ما يرام #

تم العثور على السيارة المحددة أعلاه مرضية فيما يتعلق بمواصفات التصنيع ويسمح لها بموجب هذا بنقل المواد المذكورة أعلاه لمدة 12 شهرا #

تاريخ التفتيش: 2026-01-12

تاريخ الاستحقاق التالي: 2027-01-11

Inspected By:

Rubber Stamp of Company:

Rony E
12/01/2026



امضاء المدير المسئول:

ختم الشركة



HYDROSTATIC / PNEUMATIC TEST REPORT

Certificate No. UNITEC/HT/26/006	Test Date: 12-01-2026
Customer Name:	TRUCKOMAN NORTH LLC
Project:	Inspection & Certification
Vehicle No.	8896 ML
Chassis No.	GICV130002
Type of Vehicle	CHASSIS MOUNTED TANKER
Manufacturer Name:	GORICA INDUSTRIES
Design Pressure:	1.5 BAR
Test Pressure:	1.95 BAR
Operating pressure:	7 psi
Pressurized Medium	Air
Test duration:	½ HOURS
Year of Manufacture:	2013
Tanker capacity:	6000 GL
Material transported:	CRUDE OIL
Color of the vehicle:	WHITE WITH RED STRIP
Next inspection due date:	11-01-2027
Code of practice:	ASME Sec VIII Div. I

Remarks: Pressure test and visual inspection are found satisfactory. No leakage detection

Test Performed by: Sultanate of Oman Al Misfah / Bosher / Muscat	Test Approved by:
Name: * C.R.1370047 * Bosher, Oman	Name:
Sign: 12/01/2026	Sign:



TO WHOM SO EVER IT MAY CONCERN

Certificate Number: UNITEC/CG/26/006

Inspection Date: 12/01/2026

Due Date – 11/01/2027

Customer Name: TRUCKOMAN NORTH LLC.

This is to certify that theoretically calculated center of gravity of TANKER 8896 ML, 6000 GL, crude oil tanker combined with 1335 mm chassis (approx.) from ground level 1960 mm.

This certificate is valid for:

- Chassis Year / Model - GICV130002/2013
- Manufacturer - GORICA INDUSTRIES
- Tanker No - 8896 ML


Parameters considered for C.G. calculations-

➤ Tank usable capacity:	6000 GL
➤ Content:	CRUDE OIL
➤ Chassis CG from ground:	1055 mm
➤ Tank CG from ground:	2270 mm
➤ Chassis Kerb (out to out tires):	2800 mm

Tank is considered full to rated capacity.


Center of gravity is calculated on weight and dimensions basis.

I hereby declare that the above information is correct and that the equipment has been Inspected and examined in according to requirements.

Inspected By
Technician
Sign  12/01/2026



Verified By
QA/QC Engineer
Sign  12/01/2026



FMT/UNITEC/COG/03



CALIBRATION CERTIFICATE OF PRESSURE RELIEF VALVE

Certificate no: UNITEC/PRV/26/003	Date of Examination: 12/01/2026
Client Name:	TRUCKOMAN EQUIPMENT RENTAL
Client address:	Muscat
Vehicle no.:	8896 ML
Unit under Calibration:	Pressure relief valve (PRV)
Manufacture	ITALY
Model No:	NA
Set Pressure:	7 PSI
Ref. Procedure	BS EN ISO 4126-1:2013+ A1:2016
Test Temperature. & R.H.	24° C and 50 ± 15 % RH
TAG No.	UNITEC/PRV/26/003

Test Location: Unique Engineering Technical Services LLC, OMAN

Equipment	Identification no.	Calibration certificate no:
Digital Hand pressure pump CPP500	Sr. No 1734CD4	GCTS/20253397-05

Calibration Date: 12/01/2026

Next Due: 11/01/2027

Test Results:

Pressure Relief Valve set 7 PSI. Valve checked and found to be operating within ±0.2 PSI of traceable to national/ international standards(s).

Comments:

01 Valve adjusted to the set pressure.

02 Medium of testing: Air

03 The reading obtained refer to the applied values only with no account being of the instrument ability to maintain its calibration.

I hereby declare that the above information is correct and that the equipment has been tested and examined in accordance to provisions & standard.

Calibrated By: Sultanate of Oman	Approved By:
Name: C.R:1370047	Name:
Date: 12/01/2026	Date:

The calibration Certificate shall not be reproduced except in full without written approval of the UNITEC Engineering.





CALIBRATION CERTIFICATE OF PRESSURE RELIEF VALVE

Certificate no: UNITEC/PRV/26/004	Date of Examination: 12/01/2026
Client Name:	TRUCKOMAN EQUIPMENT RENTAL
Client address:	Muscat
Vehicle no.:	8896 ML
Unit under Calibration:	Pressure relief valve (PRV)
Manufacture	ITALY
Model No:	NA
Set Pressure:	7 PSI
Ref. Procedure	BS EN ISO 4126-1:2013+ A1:2016
Test Temperature. & R.H.	24° C and 50 ± 15 % RH
TAG No.	UNITEC/PRV/26/004

Test Location: Unique Engineering Technical Services LLC, OMAN

Equipment	Identification no.	Calibration certificate no:
Digital Hand pressure pump CPP500	Sr. No 1734CD4	GCTS/20253397-05

Calibration Date: 12/01/2026 Next Due: 11/01/2027

Test Results:

Pressure Relief Valve set 7 PSI. Valve checked and found to be operating within ±0.2 PSI of traceable to national/ international standards(s).

Comments:

01 Valve adjusted to the set pressure.

02 Medium of testing: Air

03 The reading obtained refer to the applied values only with no account being of the instrument ability to maintain its calibration.

I hereby declare that the above information is correct and that the equipment has been tested and examined in accordance to provisions & standard.

Calibrated By:	Approved By:
Name: ★ C.R. 1370047 م.ش.ا. ١٣٧٠٠٤٧	Name:
Date: 12/01/2026	Date:

The calibration Certificate shall not be reproduced except in full without written approval of the UNITEC Engineering.



CALIBRATION CERTIFICATE OF VACUUM RELIEF VALVE

Certificate no: UNITEC/VRV/26/02	Date of Examination: 12/01/2026
Client Name:	TRUCKOMAN NORTH LLC
Client address:	Muscat, Oman
Vehicle no.	8896 ML
Unit under Calibration:	Vacuum relief valve (VRV) 1 ½"
Manufacture.	MADE IN ITALY
Serial no.	NA
Set Pressure:	-7 PSI
Ref. Procedure	Based on BS EN ISO 4126-1:2004
Test Temperature. & R.H.	24° C and 50 ± 15 % RH
Tag no:	UNITEC/VRV/26/02

Test Location: Unique Engineering Technical Services LLC, MISFAH, Oman.

Master Equipment	Identification no.	Calibration certificate no:
Digital Hand pressure pump CPG500	Sr. No 1734CD4	GCTS/20240361-01

Calibration Date: 12/01/2026 Next Due: 11/01/2027

Test Results:

Vacuum Relief Valve set to -7 PSI. Valve checked and found to be operating within ± 0.2 PSI of traceable to national/ international standards(s).

The above reported results are valid during the calibration.

Comments:

01 Valve adjusted to the required pressure rating.

02 Test Medium: Air

03 The reading obtained refer to the applied values only with no account being of the instrument ability to maintain its calibration.

I hereby declare that the above information is correct and that the equipment has been tested and examined in according to provisions & standard.

Calibrated By:	Approved By:
Name:	Name:
Date:	Date:

The calibration Certificate shall not be reproduced except in full without written approval of the UNITEC Engineering.



COMPOUND GAUGE CALIBRATION CERTIFICATE

Certificate no: UNITEC/CG/25/134		Date of Examination: 26/11/2025		
Client Name:	TRUCKOMAN.			
Client address:	MUSCAT, SULTANATE OF OMAN.			
Vehicle No.:	8896 ML(TO 2435)			
Unit under Calibration:	Compound gauge (-100 to 300 Kpa).			
Manufacturer	AD INSTRUMENTS			
Model No:	NA			
Tag No:	UNITEC/CG/25/134			
Ref. Procedure	BS EN 837-1:1998			
Test Temperature. & R.H.	24° C & 50 ±15 % RH			
Test Location: Unique Engineering Technical Services LLC, MISFAH,Oman.				
Equipment	Identification no.	Calibration certificate no:		
Digital Hand pressure pump CPP500	Sr. No 1734CD4	GCTS/2024-0361-01		
Calibration Date: 26/11/2025	Next Due: 25/11/2026			
Test Results: The test results are given below and confirming the required accuracy as per test points.				
Applied pressure in KPA		Indicated pressure KPA	Deviation KPA	Acceptable Error
As found	As left			
-99.8	-99.8	-100	-0.2	±1% FSD
0	0	0	0	
99.5	99.5	100	0.5	
199.7	199.7	200	0.3	
299.6	299.6	300	0.4	
Inspected By:	Approved By:			REVIEWED & APPROVED
Name:				
Date:				

The calibration Certificate shall not be reproduced except in full without written approval of the
UNITEC Engineering.



HYDROTEST CERTIFICATE OF HOSES

Certificate No.: UNITEC/HT/26/003	Inspection Date: 12/01/2026	Next due date: 11-01-2027
Customer Name: TRUCKOMAN LLC		
Tanker No: 8896 ML	Tanker Capacity: 6000 IG	Material transported: CRUDE

This certificate certifies that the pressure testing of the following hoses has been conducted according to the UniTec leak testing procedure.

The reading mentioned as below

Test pressure	10 bar
Working pressure	10 bar
Test medium	Water
Pressure Holding time	15 min
Test observation	Found ok
Visual inspection	Crimped both end & no leakage found

Description of the item		
Hose Size	Serial/Tag No.	Result
3" ALFAFLEX oil suction & Discharge hose, Length- 6.5 m	UNITEC/HT/26/003	Satisfactory

I hereby declare that the above information is correct and that the hoses has been tested and examined in according to provisions & standard.

Inspected By:		Approved By:
Sign:		Sign:
Date:		Date:

Note: Kindly report to the UniTec team after any kind of modification or changing in equipment.



HOSE CONDUCTIVITY TEST CERTIFICATE

REPORT No.: UNITEC/HCC/26/002 | Insp. Date: 12-01-2026 | NEXT Due Date: 11-01-2027

Customer Name: TRUCKOMAN LLC

Tanker No: 8896 ML

Tanker Capacity: 6000 IG

Material transported: CRUDE OIL

Hose conductivity tested with clamp meter no. 7041380 JETECH TOOL

Description of the item		
Hose Size	Serial/Tag No.	Resistance actual in Ohm (Max 10 Ω)
3" ALFAFLEX oil suction & Discharge hose, Length- 6.5 m	UNITEC/HT/26/003	0.8 Ω
Results:		
# Conductive hose and fittings found OK.		
# Above reported results found satisfactory during the inspection time.		
# Hose conductivity Resistance observed as per standard requirements.		

I hereby declare that the above information is correct and that the hoses has been tested and examined in according to provisions & standards.

Inspected By:	 Company stamp.	Approved By:
Sign:		Sign:
Date: 12/01/2026		Date: 12/01/2026

