

CALIBRATION CERTIFICATE OF VACUUM RELIEF VALVE

| | |
|--|--|
| Certificate no: UNITEC/VRV/25/163 | Date of Examination: 07/12/2025 |
| Client Name: | TRUCKOMAN LLC |
| Client address: | MUSCAT, Oman |
| Vehicle no. | 5618 WK |
| Unit under Calibration: | Vacuum relief valve (VRV) 1 1/2" |
| Manufacture. | NA |
| Set Pressure: | -7 PSI |
| Ref. Procedure | Based on BS EN ISO 4340-1:2004 |
| Test Temperature. & R.H. | 24° C and 50 ± 15 % RH |
| Tag no: | UNITEC/VRV/25/163 |

Test Location: Unique Engineering Technical Services LLC, Al Misfah, Bosher, Muscat,

| Master Equipment | Identification no. | Calibration certificate no: |
|-----------------------------------|---------------------------|------------------------------------|
| Digital Hand pressure pump CPG500 | Sr. No 1734CD4 | GCTS/20240361-01 |

Calibration Date: 07/12/2025

Next Due: 06/12/2026

Test Results:

Vacuum Relief Valve set to -7 PSI. Valve checked and found to be operating within ± 0.2 PSI of traceable to national/ international standards(s).

The above reported results are valid during the calibration.

Comments:

01 Valve adjusted to the required pressure rating.

02 Test Medium: Air

03 The reading obtained refer to the applied values only with no account being of the instrument ability to maintain its calibration.

I hereby declare that the above information is correct and that the equipment has been tested and examined in according to provisions & standard.

| | |
|--|---|
| Calibrated By: <i>Ali Jassim El Kuwait</i> | Approved By: |
| Name: <i>Ali Jassim El Kuwait</i> | Name: <i>Ali Jassim El Kuwait</i> |
| Date: <i>07/12/2025</i> | Date: <i>07/12/2025</i> |

The calibration Certificate shall not be reproduced except in full without written approval of the UNITEC Engineering.



TO WHOM SO EVER IT MAY CONCERN

RE: FUNCTIONAL TEST CERTIFICATE

| | |
|-------------------------------------|------------------------------------|
| Report No: UNITEC/25/FT/89 | Inspection date: 07-12-2025 |
| CLIENT NAME: | TRUCKOMAN EQUIPMENT RENTAL LLC |
| NAME OF TANKER MANUFACTURER: | ATLAS |
| YEAR OF MANUFACTURING: | 2017 |
| CHASSIS NUMBER: | ZTLB04101900001 |
| CAPACITY: | 36400 L |
| TANKER NO.: | 5618 WK |
| NEXT DUE DATE: | 06-12-2026 |

This is to certify that above mentioned vehicle Vacuum Pump & Fitting are inspected & founds satisfactory & All fitment complying with material specification and installations are according to provisions & standard.

Inspected By:

QA/QC:

Signature:



Company stamp



HOSE HYDROTEST CERTIFICATE

| | | |
|--|---------------------------------|--|
| Certificate No.: UNITEC/HT/25/616 | Tag no: UNITEC/HT/25/332 | Inspection Date: 07/12/2025 |
| Customer Name: TRUCKOMAN LLC | | |
| Tanker No: 5618 WK | Tanker Capacity: 8000 IG | Material transported: WASTE OIL |

This certificate certifies that the pressure testing of the following hoses has been conducted according to the Unitec leak testing procedure.

The reading mentioned as below

| | |
|------------------------------|-------------------------------------|
| Test pressure | 10 bar |
| Working pressure | 10 bar |
| Test medium | Water |
| Pressure Holding time | 15 min |
| Test observation | Found ok |
| Visual inspection | Crimped both end & no leakage found |

| Description of the item | | |
|---|-----------------------|---------------|
| Hose Size | Serial/Tag No. | Result |
| 3" ALFAFLEX oil suction & Discharge hose, Length- 7.1 m | UNITEC/HT/25/332 | Satisfactory |

I hereby declare that the above information is correct and that the hoses has been tested and examined in according to provisions & standard.

| | | |
|----------------------|--|---------------------|
| Inspected By: |  * UNIQUE ENGINEERING TECHNICAL SERVICES LLC * Sultanate of Oman Al Mislah / Bosher / Muscat C.R. 1370047 سلطنة عمان المسفلة / بوشر / مسقط رقم التسجيل: ١٣٧٠٠٤٧ Company stamp | Approved By: |
| Sign: | | Sign: |
| Date: | | Date: |

Note: Kindly report to the Unitec team after any kind of modification or changing in equipment.



CALIBRATION CERTIFICATE OF PRESSURE RELIEF VALVE

| | |
|--|--|
| Certificate no: UNITEC/PRV/25/368 | Date of Examination: 07/12/2025 |
| Client Name: | TRUCKOMAN |
| Client address: | Muscat |
| Vehicle no.: | 5618 WK |
| Unit under Calibration: | Pressure relief valve (PRV) |
| Manufacture | ITALY |
| Model No: | NA |
| Set Pressure: | 7 PSI |
| Ref. Procedure | BS EN ISO 4126-1:2013+ A1:2016 |
| Test Temperature. & R.H. | 24° C |
| TAG No. | UNITEC/PRV/25/368 |

Test Location: Unique Engineering Technical Services LLC, Al Misfah, Bosher, Muscat,

| Equipment | Identification no. | Calibration certificate no: |
|-----------------------------------|---------------------------|------------------------------------|
| Digital Hand pressure pump CPP500 | Sr. No 1734CD4 | WL/2021-2735-01 |

Calibration Date: 07/12/2025 **Next Due:** 06/12/2026

Test Results:

Pressure Relief Valve set 7 psi. Valve checked and found to be operating within ± 0.2 PSI of traceable to national/ international standards(s).

Comments:

01 Valve adjusted to the set pressure.

02 Medium of testing: Air

03 The reading obtained refer to the applied values only with no account being of the instrument ability to maintain its calibration.

I hereby declare that the above information is correct and that the equipment has been tested and examined in accordance to provisions & standard.

Calibrated By:

Name:

Date:



The calibration Certificate shall not be reproduced except in full without written approval of the UNITEC Engineering.



CALIBRATION CERTIFICATE OF PRESSURE RELIEF VALVE

| | |
|--|--|
| Certificate no: UNITEC/PRV/25/369 | Date of Examination: 07/12/2025 |
| Client Name: | TRUCKOMAN |
| Client address: | Muscat |
| Vehicle no.: | 5618 WK |
| Unit under Calibration: | Pressure relief valve (PRV) |
| Manufacture | ITALY |
| Model No: | NA |
| Set Pressure: | 7 PSI |
| Ref. Procedure | BS EN ISO 4126-1:2013+ A1:2016 |
| Test Temperature. & R.H. | 24° C |
| TAG No. | UNITEC/PRV/25/369 |

Test Location: Unique Engineering Technical Services LLC, Al Misfah, Bosher, Muscat

| Equipment | Identification no. | Calibration certificate no: |
|-----------------------------------|---------------------------|------------------------------------|
| Digital Hand pressure pump CPP500 | Sr. No 1734CD4 | WL/2021-2735-01 |

Calibration Date: 07/12/2025

Next Due: 06/12/2026

Test Results:

Pressure Relief Valve set 7 psi. Valve checked and found to be operating within ± 0.2 PSI of traceable to national/ international standards(s).

Comments:

01 Valve adjusted to the set pressure.

02 Medium of testing: Air

03 The reading obtained refer to the applied values only with no account being of the instrument ability to maintain its calibration.

I hereby declare that the above information is correct and that the equipment has been tested and examined in accordance to provisions & standard.

| | |
|---|--|
| Calibrated By: | Approved By: |
| Name:  | Name:  |
| Date: 07/12/2025 | Date: 07/12/2025 |

The calibration Certificate shall not be reproduced except in full without written approval of the UNITEC Engineering.



TO WHOM SO EVER IT MAY CONCERN

Certificate Number: UNITEC/CG/25/202

Inspection Date- 07/12/2025

Next Due Date – 06/12/2026

Customer Name: TRUCKOMAN LLC

This is to certify that theoretically calculated center of gravity of 5618 WK, 8000 IG, WASTE OIL tanker combined with 1400 mm chassis (approx.) from ground level 2296 mm.

This certificate is valid for:

- Chassis Model / Chassis no ZTLB04101900001/2017
- Manufacturer ATLAS
- Tanker No 5618 WK


Parameters considered for C.G. calculations-

| | |
|-----------------------------------|--------------|
| ➤ Tank usable capacity: | 36400 LITERS |
| ➤ Content: | WASTE OIL |
| ➤ Chassis CG from ground: | 1050 mm |
| ➤ Tank CG from ground: | 2460 mm |
| ➤ Chassis Kerb (out to out tire): | 3280 mm |

Tank is considered full to rated capacity.

Center of gravity is calculated on weight and dimensions basis.

I hereby declare that the above information is correct and that the equipment has been Inspected and examined in according to requirements.

| | | |
|---------------------|---|--------------------|
| Inspected By |  | Verified By |
| Technician | | |
| Sign |  | QA/QC Engineer |
| | | Sign..... |



شهادة فنية

TECHNICAL CERTIFICATE

| Certificate Number :UNITEC-TC-25-487 | | Test Date: 07-12-2025 |
|---|---|--|
| Customer Name: | TRUCKOMAN EQUIPMEMNT RENTAL LLC | اسم العميل: |
| Manufacture Name: | ATLAS | اسم المصنوع: |
| Project: | Inspection & Recertification | المشروع: |
| Type of vehicle | SEMI-TRAILER | طراز السيارة: |
| Vehicle registration no: | 5618 WK | رقم تسجيل المركبة: |
| Chassis No. | ZTLB04101900001 | رقم الشاسي: |
| Year of Manufacture: | 2017 | سنة الصنع: |
| Tanker Capacity | 36400 LITERS | سعة النقل: |
| Material transported | WASTE OIL | المواد المنقولة: |
| Color of the vehicle: | WHITE & RED Strip | لون المركبة: |
| Type of Label & Hazard Signs fitted on Tank | U.N. No. 1202 3 YE (3 Nos. STICKERS) Available & founds satisfactory | لون الملصقات وعلامات المخاطر الخطرة على الخزان: |
| Type and capacity of fire extinguishers | DCP, 9 Kg x 2 Nos. | نوع وسعة طفایات الحريق |
| The Tank, tanker connections & installation of the above vehicle have been investigated by our company. | <p>تم فحص الخزان وجميع التوصيلات للمركبة المذكورة أعلاه من قبل شركتنا</p> <p>الهندسة الفريدة للخدمات الفنية</p> | |

External inspection with all required fitting is found ok.

The above specified vehicle is found satisfactory in respect to manufactures specification & is hereby authorized to transport the above-mentioned Material for 12 months.

Inspection Date: 07-12-2025

Next Due Date : 06-12-2026

تم العثور على التفتيش الخارجي مع جميع التركيبات المطلوبة موافق #

تم العثور على السيارة المحددة أعلاه مرضية فيما يتعلق بمواصفات المصنعين ويسمح لها بموجب هذا بنقل المواد المذكورة أعلاه لمدة 12 # شهر.

تاريخ الفحص: 2025-12-07

تاريخ الاستحقاق القادم: 2026-12-06

Inspected By:

Rubber Stamp of Company:



إمضاء العدیر المسئول:

ختم الشركة



HYDROSTATIC / PNEUMATIC TEST REPORT

| | |
|----------------------------------|----------------------------|
| Certificate No. UNITEC/HT/25/358 | Test Date: 07-12-2025 |
| Customer Name: | TRUCKOMAN LLC |
| Project: | Inspection & Certification |
| Vehicle No. | 5618 WK |
| Chassis No. | ZTLB04101900001 |
| Type of Vehicle | TANKER |
| Manufacturer Name: | ATLAS |
| Design Pressure: | 1.75 BAR |
| Test Pressure: | 2.75 BAR |
| Operating Pressure | 1 BAR |
| Pressurized Medium | Air |
| Test duration: | ½ hr |
| Year of Manufacture: | 2017 |
| Tanker capacity: | 36400 LTR |
| Material transported: | WASTE OIL |
| Color of the vehicle: | WHITE WITH RED STRIP |
| Next inspection due date: | 06-12-2026 |
| Code of practice: | ASME Sec VIII Div. I |

Remarks: Pressure test and visual inspection are found satisfactory. No leakage detection

Test Performed by:

Name:

Sign:

Test Approved by:

Name:

Sign:

